

SCHEFFERVILLE TRADING L.L.C

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	SPUC 8900 EYEVEX
Technical file index	:	01
Last update	:	SEPTEMBER, 2016

IDENTIFICATION

Reference of the product :	:	SPUC 8900 EYEVEX
Major Variant of the model :	:	PU/700-5-GG
Technical file index :	:	01
Last update :	:	SEPTEMBER, 2016

Manufacturer :

Schefferville Trading L.L.C.

Office No. 1 Sultan Building, Industrial Area 3 GECO Dubai Road Tablik
Markaz, P.O. Box 63934, Sharjah

United Arab Emirates.

Tel : +971 6 5757860, Fax : +971 6 5757890

Fax :

European Representative :

EVOLUTION SORBENT PRODUCTS UK LTD

Unit D, Vulcan Business Park, Derker St, Oldham OL1 4AS

United Kingdom

tel : +44 845 838 5377

fax :

web

site : [www.espsorbents.com /uk](http://www.espsorbents.com/uk)

GLOVE DESCRIPTION

Glove description :

Grey PU coating on cut-5 liner made by special synthetic yarn

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
220	6
230	7
240	8
250	9
260	10

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm	P01	GREY/ WHITE/ BLACK	Higher performance polyethelene/ glass fibre/ polyester/ lycra		13	
	L01	GREY	PU coating			1.15mm
Back	P01	GREY/ WHITE/ BLACK	Higher performance polyethelene/ glass fibre/ polyester/ lycra		13	
Lining						
Cuff	C01	GREY/ WHITE/ BLACK	Higher performance polyethelene/ glass fibre/ polyester/ lycra +ELASTIC YARN		13	
Binding	D01	black, green, yellow, blue, grey, brown	polyester thread	1 MM width		

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5
PH of glove and lining is greater than 3.5 and lower than 9.5 : yes
Chromium VI lower than the detection limit : NA
Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	5
Tear strength resistance	4
Puncture resistance	3

The levels of performance have been measured on the palm

TEST REPORTS

Laboratory	CTC	Other
EN 420	I160801554	
Azo	I160801554	
EN 388	I160801554	
OTHER	I160801554	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 


Glove's reference : SPUC 8900 EYEVEX

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

Stamp print on the gloves

Packaging :

12 pairs per polybag, 120 pairs per carton box

MEANS OF CONTROL

under iso 9001



DNV BUSINESS ASSURANCE MANAGEMENT SYSTEM CERTIFICATE

Certificate No. 25390-2008-AQ-IND-RvA Rev. 01

This is to certify that

ACKNIT INDUSTRIES LIMITED

at

Office: 817, 'Krishna', 224, A.J.C. Bose Road, Kolkata - 700 017, West Bengal, INDIA
Works: Sector 1, Falta Special Economic Zone, Falta, District 24 Parganas (S), West Bengal, INDIA

has been found to conform to the Quality Management System Standard:

ISO 9001:2008

This certificate is valid for the following scope:

**MANUFACTURE OF KNTTED, PVC-DOTTED, POLYMER COATED
AND LEATHER HAND GLOVES FOR INDUSTRIAL USE**

Initial Certification date:

27 March 2002

This Certificate is valid until:

26 March 2017

The audit has been performed under the supervision of:

Subhashis Chakraborty
Lead Auditor



Please read date of issue

Chennai, 11 April 2014

for the Accredited Unit:
DET NORSKE VERDIER CERTIFIKASJON R.V.,
TID No 110001 AND 6

Sivadasan Madiyath
Management Representative

Lack of fulfilment of conditions as set out in the Certification Agreement & the annexure to this certificate may render this Certificate invalid.

Det Norske Veritas Certification R.V. Zandweg 1, 2904 LB Breda, Netherlands. Tel: +31 (0) 2 22 22 22 22 - fax: +31 (0) 2 22 22 22 22 - www.dnv.com
and to the DNV BUSINESS ASSURANCE (BOL) LTD, 201, Raffles Place, Marina Bay Sands, Singapore. Tel: +65 6 673 3333 - fax: +65 6 673 3334 - www.dnv.com

INSTRUCTION FOR USE

Schefferville Trading L.L.C.

Office No. 1, Sultan Building, Industrial Area 3, GECO Dubai Road, Tablik Markaz, P.O.

Box 63934, Sharjah

United Arab Emirates.

Glove reference : SPUC 8900 EYEVEX

Available sizes : 6 7 8 9 10

Glove description :

Grey PU coating on cut-5 liner made by special synthetic yarn

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388



4543

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	5	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	3	(on 4 maxi)

Protection limit :

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.